

Asthma (Adults)

Asthma (Adults)

- Most recent data (2013): 9% or about 142,700 King County adults age 18+.
- Trend over time: 2000-13: flat
- Description: Ever been told by a doctor, nurse or other health professional to have asthma and still have asthma

Asthma (adults), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	9	8	10
AGE			
18-24	9	7	12
25-44	9	7	10
45-64	9	8	10
65+	8	7	10
GENDER			
Male	7	6	8
Female	11	10	12
RACE/ETHNICITY			
AIAN	17	9	30
Asian	4	3	5
Black	8	6	12
Hispanic	7	5	11
Multiple	12	8	19
NHPI	6 §	2 §	16 §
White	10	9	11
HOUSEHOLD INCOME			
<\$15,000	12	10	16
\$15,000 to \$24,999	12	10	16
\$25,000 to \$34,999	12	9	15
\$35,000 to \$49,999	9	7	12
\$50,000 to \$74,999	7	6	9
\$75,000+	8	7	9
REGION			
East	8	7	10
North	9	7	13
Seattle	9	8	10
South	9	8	11

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Asthma (adults)

King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Asthma (adults) by comparison areas

There is no Healthy People 2020 Objective for asthma (adults).

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2010	9	N/A	N/A
WA State	2010	10	9	10
King County	2013	9	8	11

Notes:


Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

N/A: Not available.

CI is 95% Confidence Interval.

Asthma (adults) by comparison areas



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
|-----| Confidence interval shows range that includes true value 95% of the time.

Asthma (adults) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18+)	9	8	10
Auburn	12	8	18
..Auburn-North	9	5	14
..Auburn-South	17	9	29
Bear Creek/Carnation/Duvall	8	5	13
Bellevue	7	5	9
..Bellevue-Central	9	5	15
..Bellevue-NE	5	3	8
..Bellevue-South	8	5	14
..Bellevue-West	5 §	3 §	9 §
Black Diamond/Enumclaw/SE County	13	8	19
Bothell/Woodinville	13 §	7 §	24 §
Burien	12	8	18
Covington/Maple Valley	8	5	12
Des Moines/Normandy Park	8	4	13
East Federal Way	5	3	9
Fairwood	8 §	3 §	19 §
Federal Way	10	7	15
..Fed Way-Central/Military Rd	12	7	18
..Fed Way-Dash Point/Woodmont	8 §	4 §	16 §
Issaquah	10	6	17
Kenmore/LFP	11 §	6 §	20 §
Kent	9	7	13
..Kent-East	11 §	6 §	20 §
..Kent-SE	10	6	16
..Kent-West	6 §	3 §	11 §
Kirkland	10	7	14
..Kirkland	11	7	18
..Kirkland North	8	5	12
Mercer Isle/Pt Cities	6	4	10
Newcastle/Four Creeks	6	3	10
North Highline	12 §	4 §	30 §
Redmond	9	6	14
Renton	11	8	15
..Renton-East	10 §	5 §	19 §
..Renton-North	9	6	16
..Renton-South	12	7	19
Sammamish	9	6	13
SeaTac/Tukwila	5	3	8
Seattle	9	8	10
..Ballard	15	9	23
..Beacon/Gtown/S.Park	10 §	5 §	18 §
..Capitol Hill/E.lake	7	4	11
..Central Seattle	10	5	17
..Delridge	13	8	20
..Downtown	8	5	13
..Fremont/Greenlake	5	3	8
..NE Seattle	7	4	11
..North Seattle	8	5	13
..NW Seattle	12	7	20
..QA/Magnolia	7	4	13
..SE Seattle	7 §	4 §	13 §
..West Seattle	8	5	11
Shoreline	6	4	9
Snoqualmie/North Bend/Skykomish	7 §	4 §	13 §
Vashon Island	3 §	1 §	7 §

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Asthma (adults) by health reporting areas King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.

Asthma (adults) King County, 2000-2013, three-year rolling averages



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.